



Exportize Ltd  
 trevor.woodcock@exportize.co.uk  
 Mobile/WhatsApp - 07958 298959

Maintenance Free Batteries - Product Data - 2016.

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
53520	12V35AH	52	252	196	130	220	0	A	5.9	9	116
53522	12V35AH	52	252	196	130	220	1	A	5.9	9	116
53628	12V36AH	53	270	210	175	175	1	A	5.9	9	72
53638	12V36AH	53	270	210	175	175	0	A	5.9	9	72
54038	12V40AH	58	270	196	130	220	0	A	6.5	9.5	116
54039	12V40AH	58	270	196	130	220	1	A	6.5	9.5	116
54040	12V40AH	58	270	196	130	220	1	A	6.5	9.5	116
54046	12V40AH	58	270	196	130	220	0	A	6.5	9.5	116
54317	12V43AH	64	330	210	175	175	0	A	7	9	72
54459	12V44AH	64	340	210	175	190	0	A	7	10.4	72
54464	12V44AH	64	340	210	175	190	1	A	7	10.4	72
54465	12V44AH	64	330	210	175	175	0	A	7	10	72
54466	12V44AH	64	330	210	175	175	1	A	7	10	72
54519	12V45AH	72	350	238	175	175	0	A	7	10.9	72
54523	12V45AH	70	315	238	130	220	0	A	7	11.9	72
54524	12V45AH	70	315	238	130	220	1	A	7	11.9	72
54577	12V45AH	67	330	196	130	220	0	A	7	10	116
54579	12V45AH	67	330	196	130	220	1	A	7	10	116
54583	12V45AH	64	340	210	175	190	0	A	7	10.4	72
54612	12V46AH	64	340	210	175	190	0	A	7	10.4	72
54827	12V48AH	64	350	210	175	175	0	A	7.7	10.7	72
55030	12V50AH	78	400	238	175	190	0	A	7.7	12.2	72
55046	12V50AH	78	390	238	175	175	0	A	8.3	11.7	72
55066	12V50AH	77	380	210	175	190	0	A	7.7	11.2	72
55218	12V52AH	78	390	238	175	175	0	A	8.3	11.7	72

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
55415	12V54AH	83	430	268	175	175	0	A	8.4	13.4	64
55421	12V54AH	83	420	238	175	175	0	A	8.4	12.4	72
55458	12V54AH	83	420	238	175	175	1	A	8.4	12.4	72
55530	12V55AH	85	430	238	175	190	0	A	8.4	12.9	72
55565	12V55AH	85	430	238	175	190	1	A	8.4	12.9	72
55811	12V58AH	83	420	238	175	175	0	A	8.7	12.8	72
56030	12V60AH	95	480	238	175	190	0	A	8.7	13.3	72
56048	12V60AH	98	410	260	175	220	0	A	8.7	14.8	64
56049	12V60AH	98	410	260	175	220	1	A	8.7	14.8	64
56068	12V60AH	100	420	238	175	225	0	A	8.7	13.8	72
56069	12V60AH	100	420	238	175	225	1	A	8.7	13.8	72
56077	12V60AH	95	470	238	175	175	0	A	8.7	12.8	72
56111	12V61AH	95	500	238	175	190	0	A	8.8	13.3	72
56219	12V62AH	95	500	238	175	190	0	A	8.8	13.3	72
56221	12V62AH	95	500	238	175	190	1	A	8.8	13.3	72
56318	12V63AH	100	510	268	175	175	0	A	9.4	14.3	64
56420	12V64AH	100	510	268	175	175	0	A	9.4	14.3	64
56530	12V65AH	100	510	268	175	175	0	A	9.4	14.3	64
56633	12V66AH	106	520	268	175	190	1	A	9.4	14.8	64
56638	12V66AH	106	520	268	175	190	0	A	9.4	14.8	64
56818	12V68AH	110	530	268	175	175	0	A	9.8	14.7	64
57024	12V70AH	130	520	260	175	220	1	A	9.8	15.7	64
57028	12V70AH	117	530	268	175	190	0	A	9.8	15.2	64
57029	12V70AH	130	520	260	175	220	0	A	9.8	15.7	64
57032	12V70AH	106	530	268	175	190	1	A	9.8	15.2	64
57069	12V70AH	110	530	268	175	175	0	A	9.8	14.7	64
57113	12V71AH	110	530	268	175	175	0	A	9.8	14.7	64
57219	12V72AH	117	560	268	175	190	1	A	9.8	15.2	64
57220	12V72AH	117	560	268	175	190	0	A	9.8	15.2	64
57412	12V74AH	117	560	268	175	190	0	A	10.6	16	64
57413	12V74AH	117	560	268	175	190	1	A	10.6	16	64
57512	12V75AH	134	480	305	175	225	0	A	10.6	16.3	60
57513	12V75AH	134	480	305	175	225	1	A	10.6	16.3	60

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
57519	12V75AH	117	560	268	175	190	1	A	10.6	16	64
57524	12V75AH	133	530	260	175	220	1	A	10.6	15.8	64
57529	12V75AH	133	530	260	175	220	0	A	10.6	15.8	64
57531	12V75AH	117	560	268	175	190	0	A	10.6	16	64
57539	12V75AH	110	530	268	175	175	0	A	10.6	14.8	64
58014	12V80AH	133	620	268	175	175	0	A	11.4	16.3	64
58024	12V80AH	134	640	268	175	190	0	A	11.4	16.8	64
58032	12V80AH	134	640	268	175	190	1	A	11.4	16.8	64
58500	12V60AH	97	500	238	175	175	1	A	8.7	12.8	72
58513	12V85AH	156	600	305	175	225	0	A	11.5	17.9	60
58514	12V85AH	156	600	305	175	225	1	A	11.5	19	60
58515	12V85AH	144	660	340	175	190	0	A	11.5	18.4	48
58811	12V88AH	150	610	405	175	225	0	A	12.4	21.4	48
58821	12V88AH	150	700	340	175	190	1	A	12.4	18.9	48
58827	12V88AH	150	700	340	175	190	0	A	12.4	18.9	48
59017	12V90AH	160	660	340	175	230	0	A	12.5	19.4	48
59018	12V90AH	160	660	360	175	230	1	A	12.5	19.6	48
59512	12V95AH	150	710	340	175	190	0	A	12.5	18.9	48
59518	12V95AH	165	630	305	175	225	0	A	12.5	19	60
59519	12V95AH	165	630	305	175	225	1	A	12.5	19	60
59524	12V95AH	159	740	340	175	190	0	A	12.5	18.9	48
59615	12V96AH	165	660	340	175	230	0	A	12.5	19.5	48
59616	12V96AH	165	660	340	175	230	0	A	12.5	19.5	48
60016	12V100AH	178	670	405	175	225	0	A	13	22	48
60030	12V100AH	176	830	260	175	225	2	A	13	19	48
60032	12V100AH	168	640	305	175	225	0	A	13	19.5	60
60033	12V100AH	168	660	340	175	175	1	A	13	19.5	48
60035	12V100AH	178	670	405	175	225	1	A	13	22	48
60038	12V100AH	176	800	340	175	190	0	A	13	19.5	48
60516	12V105AH	180	680	340	175	230	1	A	13.1	20.1	48
60525	12V105AH	194	700	405	175	225	0	A	13.1	22	48
60527	12V105AH	170	670	340	175	230	1	A	13.1	20.1	48
60528	12V105AH	170	670	340	175	230	0	A	13.1	20.1	48

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
61027	12V110AH	200	680	506	181	220	3	A	13.7	25.7	32
62033	12V120AH	218	720	506	181	220	4	A	15.8	27.8	32
62034	12V120AH	218	700	506	181	220	3	A	15.8	27.8	32
62526	12V125AH	230	880	340	175	230	0	A	16.5	23.5	48
62527	12V125AH	230	880	340	175	230	1	A	16.5	23.5	48
62534	12V125AH	239	740	506	181	220	3	A	16.5	28.5	32
63013	12V130AH	247	750	506	220	220	3	A	16.8	32.1	28
63211	12V132AH	239	760	506	181	220	4	A	16.8	29.1	32
63511	12V135AH	239	740	506	181	220	3	A	16.8	29.1	32
63513	12V135AH	260	760	506	220	220	3	A	16.8	32.1	28
63588	12V135AH	260	760	506	220	220	4	A	16.8	32.1	28
64011	12V140AH	250	830	506	181	220	4	A	18.6	30.6	32
64020	12V140AH	250	810	506	181	220	3	A	18.6	30.6	32
64317	12V143AH	290	790	506	220	220	3	A	18.6	33.6	28
64389	12V143AH	290	810	506	220	220	4	A	18.6	33.6	28
64513	12V145AH	252	820	506	181	220	3	A	18.6	30.6	32
65033	12V150AH	294	800	506	220	220	3	A	19.6	34.5	28
65044	12V150AH	255	840	506	181	220	3	A	19.6	31.5	32
65089	12V150AH	294	820	506	220	220	4	A	19.6	34.5	28
65531	12V155AH	255	860	506	181	220	4	A	19.6	31.5	32
65531	12V155AH	310	840	506	220	220	3	A	19.6	34.5	28
66017	12V160AH	317	860	506	220	220	3	A	20.3	35.3	28
66514	12V165AH	317	860	506	220	220	3	A	20.3	35.3	28
67018	12V170AH	342	900	506	220	220	3	A	20.5	35.5	28
68029	12V180AH	353	960	506	220	220	4	A	21.5	36.5	28
68032	12V180AH	353	940	506	220	220	3	A	21.5	36.5	28
70027	12V200AH	371	1040	506	260	233	3	A	25.2	45.5	24
70029	12V200AH	371	1060	506	260	233	4	A	25.2	45.5	24
71014	12V210AH	384	1100	506	260	233	3	A	26.5	46.5	24
72026	12V220AH	396	1150	506	260	233	3	A	27.6	47.6	24
30H102	12	102	186	710	340	173	230	0	A	20	48
30H105L	12	105	180	720	340	173	230	0	A	20	48
30H105R	12	105	180	720	340	173	230	1	A	20	48

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
30H115L	12	115	200	810	340	173	230	0	A	21.6	48
30H115R	12	115	200	810	340	173	230	1	A	21.6	48
30H125L	12	125	240	840	340	173	230	0	A	23.5	48
30H125R	12	125	240	840	340	173	230	1	A	23.5	48
40B19L	12	35	52	252	196	130	220	0	A	9	116
40B19R	12	35	52	252	196	130	220	1	A	9	116
55D23L	12	60	100	420	235	173	225	0	A	13.8	72
55D23R	12	60	100	420	235	173	225	1	A	13.8	72
65D23L	12	65	112	430	235	173	225	0	A	14.3	72
65D23R	12	65	112	430	235	173	225	1	A	14.3	72
65D26L	12	65	113	430	260	173	220	0	A	15.3	64
65D26R	12	65	113	430	260	173	220	1	A	15.3	64
75D23L	12	65	112	450	235	173	225	0	A	14.3	72
75D23R	12	65	112	450	235	173	225	1	A	14.3	72
N100	12	100	186	700	405	173	230	1	A	22	48
N100L	12	100	186	700	405	173	230	0	A	22	48
N100Z	12	105	204	730	405	173	230	1	A	22.2	48
N100ZL	12	105	204	730	405	173	230	0	A	22.2	48
N110	12	110	215	800	405	173	230	1	A	22.9	48
N115	12	115	232	840	506	181	233	3	A	26.5	32
N120	12	120	228	720	506	181	233	3	A	27.8	32
N120A	12	110	215	760	405	173	230	1	A	22.9	48
N120AL	12	110	215	760	405	173	230	0	A	22.9	48
N150	12	150	300	840	506	220	233	3	A	34.5	28
N170		170	329	930	506	220	233	3	A	35.3	28
N180	12	180	360	980	506	220	233	3	A	36.5	28
N200	12	200	390	###	506	260	233	3	A	45.5	24
N200A	12	185	370	###	506	260	233	3	A	36.5	24
N220	12	220	410	###	506	260	233	3	A	48	24
N40	12	40	59	280	238	130	220	1	A	10.5	92
N40L	12	40	59	280	238	130	220	0	A	10.5	92
N40LS	12	40	59	280	238	130	220	0	A	10.5	92
N40S	12	40	59	280	238	130	220	1	A	10.5	92

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
N50	12	50	80	350	260	173	220	1	A	13.7	64
N50L	12	50	80	350	260	173	220	0	A	13.7	64
N50Z	12	60	103	420	260	173	220	1	A	14.8	64
N50ZL	12	60	103	420	260	173	220	0	A	14.8	64
N70	12	70	134	480	305	173	225	1	A	16.2	60
N70L	12	70	134	480	305	173	225	0	A	16.2	60
N70Z	12	75	137	500	305	173	225	1	A	16.2	60
N70ZL	12	75	137	500	305	173	225	0	A	16.2	60
N80	12	80	160	620	305	173	225	1	A	17.8	60
N80L	12	80	160	620	305	173	225	0	A	17.8	60
N90	12	90	170	680	360	173	230	1	A	19.5	60
N90L	12	90	170	680	360	173	230	0	A	19.5	60
NS100L	12	90	170	650	305	173	225	0	A	18.9	60
NS100R	12	90	170	650	305	173	225	1	A	18.9	60
NS150	12	135	250	810	506	181	233	3	A	29.1	32
NS200	12	165	329	930	506	220	233	3	A	35.3	28
NS40L	12	32	46	225	196	130	190	0	A	9	116
NS40LS	12	32	46	225	196	130	190	0	A	9	116
NS40R	12	32	46	225	196	130	190	1	A	9	116
NS40S	12	32	46	225	196	130	190	1	A	9	116
NS40Z	12	36	52	252	196	130	190	1	A	9	116
NS40ZL	12	36	52	252	196	130	220	0	A	9	116
NS40ZLS	12	36	52	252	196	130	220	0	A	9	116
NS40ZS	12	36	52	252	196	130	220	1	A	9	116
NS60	12	45	70	315	238	130	220	1	A	11	92
NS60L	12	45	70	315	238	130	220	0	A	11	92
NS60LS	12	45	70	315	238	130	220	0	A	11	92
NS60S	12	45	70	314	238	130	220	1	A	11	92
NS70	12	65	113	430	260	173	220	1	A	15.3	64
NS70L	12	65	113	430	260	173	220	0	A	15.3	64
NX100-6	12	50	76	350	238	130	220	1	A	11.7	92
NX100-6L	12	50	76	350	238	130	220	0	A	11.7	92
NX100-6LS	12	50	76	350	238	130	220	0	A	11.7	92

EN & DIN Number	Voltage	R.C (Min)	CCA	L	W	H	Layout	Terminal	Weight No Acid	Weight with Acid	Qty Per Pallet
NX100-6S	12	50	76	350	238	130	220	1	A	11.7	92
NX110-5	12	70	134	520	260	173	220	1	A	15.7	64
NX110-5L	12	70	134	520	260	173	220	0	A	15.7	64
NX120-7	12	80	160	620	305	173	225	1	A	17.8	60
NX120-7L	12	80	160	620	305	173	225	0	A	17.8	60
NX200-10	12	115	232	790	405	173	230	1	A	23.6	48
NX200-10L	12	115	232	790	405	173	230	0	A	23.6	48

FOB QINGDAO CHINA

BATTERY LIFE: 2 YEARS

WARRANTY: ONE YEAR

SHIPMENT: IN 30-40 DAYS.

FREE COST OF OEM SERVICE

PACKING: EACH BATTERY PER CARTON, MF BATTERY ALSO ON PALLET

MOQ: 150 PCS EACH TYPE OTHERWISE BUYER PAY US\$80 FOR EACH TYPE.

SGS, BIVAC, SONCAP AND/OR OTHER INSPECTION OR CERTIFICATE COST BEAR BY BUYER.

REMARK: 28 PALLET PER 20FT CONTAINER